



International

SAFETY DATA SHEET

Page 1 of 4

Brigand SB

Revision 1
Revision date 30-Jun-2010

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name Brigand SB
Company PelGar International Ltd
Unit 13 Newman Lane Industrial Estate
Newman Lane
Alton Hampshire
GU34 2QR
philip@pelgar.co.uk
www.pelgar.co.uk
Telephone Tel +44 (0) 1420 80744
Fax Fax +44 (0) 1420 80733
Emergency telephone number Tel +44 (0) 1420 80744
Product code 515
Intended use Ready for use rodenticide containing 50ppm bromadiolone.

2 HAZARDS IDENTIFICATION.

Main hazards The preparation is non-dangerous in accordance with Directive 1999/45/EC. Unlikely to cause harmful effects under normal conditions of handling and use. Harmful to Wildlife. Wild mammals and birds may be at greater risk if the product is not used in accordance with its label.

3 . COMPOSITION / INFORMATION ON INGREDIENTS.

Hazardous ingredients

	Conc.	CAS	EINECS	Symbols/Risk phrases
propane-1,2-diol	1 - 10%	57-55-6	200-338-0	
Flour	>50%			
Bromadiolone	0.005%	28772-56-7	249-205-9	T+; R27/28 T; R48/24/25 R50/53
Denatonium benzoate	0.001%	3734-33-6		Xn;R20 Xn;R22 Xi;R37 Xi;R38 Xi;R41 R52/53

Print date 30-Jun--2010

Brigand SB

Revision 1
Revision date 30-Jun-2010

4. FIRST AID MEASURES

Skin contact	May cause irritation to skin. Remove contaminated clothing. Wash off immediately with plenty of soap and water. If irritation persists obtain medical attention. Contaminated clothing should be washed and dried before re-use.
Eye contact	May cause irritation to eyes. Seek medical attention if irritation or symptoms persist. Wash with water.
Inhalation	Unlikely to present an inhalation hazard as the product is supplied as a paste. Move the exposed person to fresh air. Obtain medical advice immediately.
Ingestion	If swallowed, seek medical advice immediately and show this container or label.
General information	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). ADVICE FOR DOCTORS: Bromadiolone is an indirect anti-coagulant. Phytomenadione, Vitamin K1, is antidotal. Determine prothrombin time not less than 18 hours after consumption. If elevated, administer Vitamin K1 until prothrombin time normalises. Continue determination of prothrombin time for two weeks after withdrawal of antidote and resume treatment if elevation occurs in that time.

5. FIRE FIGHTING MEASURES

Extinguishing media	Keep fire exposed containers cool by spraying with water if exposed to fire. Carbon dioxide (CO2) Alcohol resistant foam. Dry chemical. Use extinguishing media appropriate to the surrounding fire conditions. Do NOT use water jets.
Protective equipment	In the event of fire, wear self-contained breathing apparatus, suitable gloves and boots.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Wear suitable protective clothing, gloves and eye/face protection. See section 8.
Environmental precautions	Prevent further spillage if safe.
Clean up methods	Transfer to a suitably labelled container. Subsequently, wash the contaminated area with water, taking care to prevent the washings entering sewers or drains.

7. HANDLING AND STORAGE

Handling	Avoid contact with eyes and skin. Avoid formation of dust. Do not smoke eat or drink while handling this product. Always use good personal hygiene procedures when handling chemicals. Wash hands and face before eating, drinking or smoking.. Read the label before use. Unlikely to produce much dust as the product is a low dust whole wheat grain.
Storage	Keep in a cool, dry, well ventilated area. Keep out of the reach of children. Keep away from food and animal feedstuffs. Keep away from oxidising agents. Protect from extremes of temperature.. Store at temperatures between 5 °C and 25 °C.
Specific use	Ready for use rodenticide containing 50ppm bromadiolone.

Brigand SB

Revision 1
Revision date 30-Jun-2010

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits

propane-1,2-diol (Propane-1,2-diol particulates)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: -
propane-1,2-diol (Propane-1,2-diol total vapour and particulates)	WEL 8-hr limit ppm: 150 WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 474 WEL 15 min limit mg/m3: -
Flour	WEL 8-hr limit ppm: WEL 15 min limit ppm:	WEL 8-hr limit mg/m3: 10 WEL 15 min limit mg/m3: 30

Respiratory protection Unlikely to present an inhalation hazard unless excessive dust is present. If levels approach the WEL, then suitable approved respiratory protection should be worn.

Hand protection Rubber gloves.

Eye protection Not Required.

Protective equipment Impervious clothing, boots.

9. PHYSICAL AND CHEMICAL PROPERTIES

Description	Paste.
Colour	Red.
Odour	Characteristic.

10. STABILITY

Stability	Stable under normal conditions.
Conditions to avoid	Heat, sparks and open flames.
Materials to avoid	Oxidising agents.
Hazardous decomposition products	Combustion or thermal decomposition will produce toxic and irritant fumes.

11. TOXICOLOGICAL INFORMATION

Toxicological information

Bromadiolone	Dermal Rat LD50 = 23mg/kg Oral Rat LD50 = < 5mg/kg
Denatonium benzoate	Oral Rat LD50 = 749 mg/kg Inhalation Rat LC50/4 h = 0.2 mg/l
propane-1,2-diol	Oral Rat LD50 >2000 mg.kg

Acute toxicity ORL RAT LD50 approx. 20 g/kg (calculated).

Corrosivity No irritation expected.

Sensitization Flour dust is a respiratory sensitiser causing asthma. As the product is a paste, it will not create any dust.

Mutagenic effects No evidence to suggest anticoagulant rodenticides are mutagenic.

Carcinogenic eff lant rodenticides are carcinogenic.

Brigand SB

Revision 1
Revision date 30-Jun-2010

12. ECOLOGICAL INFORMATION

Ecotoxicity As the product contains 50ppm bromadiolone, unlikely to be hazardous to aquatic life.

Bromadiolone	Daphnia EC50/48h = 5,79 mg/l Rainbow trout LC50/96h = 2,89 mg/l
propane-1,2-diol	Daphnia EC50/48h = 100 mg/l Fish LC50/96h = 100 mg/l

Further information Harmful to wildlife. Read all precautions before use.

13. DISPOSAL CONSIDERATIONS

General information Dispose of in compliance with all local and national regulations.

Disposal of packaging Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

14. TRANSPORT INFORMATION

Further information Not classified as dangerous for transport.

15. REGULATORY INFORMATION

Labelling Not classified as a dangerous preparation

16. OTHER INFORMATION

Text of risk phrases in Section 3.

R20 - Harmful by inhalation.
R22 - Harmful if swallowed.
R27/28 - Very toxic in contact with skin and if swallowed.
R37 - Irritating to respiratory system.
R38 - Irritating to skin. . R41 - Risk of serious damage to eyes
R48/24/25 - Toxic: danger of serious damage to health by prolonged exposure in contact with skin and if swallowed.
R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Restricted use Ready for use rodenticide containing 50ppm bromadiolone.